

AUSTRALIA GHS Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: FUSOR® 152, 153 PLASTIC REPAIR ADH PT B
Product Use/Class: URETHANE ADHESIVE, PART 2 OF 2

LORD Corporation 111 LORD Drive Cary, NC 27511-7923 USA

Cary, NC 27311-7923 USA

Telephone: 814 868-3180 Non-Transportation Emergency: 814 763-2345

Chemtrec 24 Hr Transportation Emergency No. 800 424-9300 (Outside Continental U.S. 703 527-3887)

Connell Bros. Co. Australasia Pty Ltd. Unit 3 / 257 Leitchs Road Brendale QLD 4500 Australia

ABN 53 079 159 327 Telephone: 07 3552 9200

Australia Wide - 24 Hr Emergency Number

1800-033-111

EFFECTIVE DATE: 03/17/2023

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Skin sensitization Category 1
Reproductive toxicity Category 1B
Hazardous to the aquatic environment - acute hazard Category 3
Hazardous to the aquatic environment - chronic hazard Category 3

GHS LABEL ELEMENTS:

Symbol(s)





Signal Word

DANGER

Hazard statements

May cause an allergic skin reaction. May damage fertility or the unborn child.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Page 1 of 6

Product: FUSOR® 152, 153 PLASTIC REPAIR ADH PT B, Effective Date: 03/17/2023

Wear protective gloves.

Use personal protective equipment as required.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Response

IF exposed or concerned: Get medical advice, attention.

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice, attention.

Wash contaminated clothing before reuse.

Storage

Store locked up.

Disposal:

Dispose of contents/container in accordance with waste/disposal laws and regulations of your country or particular locality.

Other hazards:

This product contains component(s) which have the following warnings; however based on the GHS classification criteria of your country or locale, the product mixture may be outside the respective category(s).

Acute: Eye contact may cause slight irritation. May be harmful if swallowed. Ingestion is not an expected route of entry in industrial or commercial uses.

Chronic: IARC has designated carbon black as Group 2B - inadequate evidence for carcinogenicity in humans, but sufficient evidence in experimental animals. In 2006 IARC reaffirmed its 1995 finding that there is "inadequate evidence" from human health studies to assess whether carbon black causes cancer in humans. Further, epidemiological evidence from well-conducted investigations has shown no causative link between carbon black exposure and the risk of malignant or non-malignant respiratory disease in humans.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients above the threshold concentration

Trazardous nigredients above the direshold concentration				
Chemical Name	CAS Number	Range		
Amide	PROPRIETARY	1 - 5 %		
Affilde	PROPRIETARY	1 - 3 70		
Organotin compound	10584-98-2	0.1 - 0.9 %		
8-hydroxy quinoline	148-24-3	0.1 - 0.9 %		
Carbon black	1333-86-4	0.1 - 0.9 %		

4. FIRST AID MEASURES

FIRST AID - EYE CONTACT: Flush eyes immediately with large amount of water for at least 15 minutes holding eyelids open while flushing. Get prompt medical attention.

FIRST AID - SKIN CONTACT: Flush contaminated skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water. Get medical attention if symptoms occur.

FIRST AID - INHALATION: This material is not likely to be hazardous by inhalation. However, if exposed to excessive levels of vapor or mist, remove to fresh air, give oxygen if breathing is difficult, and get immediate medical attention. This material is not likely to be hazardous by inhalation. However, if exposed to excessive levels of vapor or mist, remove to fresh air, give oxygen if breathing is difficult, and get immediate medical attention.

FIRST AID - INGESTION: If swallowed, do not induce vomiting. Call a physician or poison control center immediately for further instructions. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon Dioxide, Dry chemical, Foam **UNSUITABLE EXTINGUISHING MEDIA:** Not determined for this product.

SPECIFIC HAZARDS POSSIBLY ARISING FROM THE CHEMICAL: Keep container tightly closed. Closed containers may rupture when exposed to extreme heat. Use water spray to keep fire exposed containers cool. During a fire, irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: Wear full firefighting protective clothing, including self contained breathing apparatus. If water is used, fog nozzles are preferable.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Avoid contact. Avoid breathing vapors.

ENVIRONMENTAL PRECAUTIONS: Do not contaminate bodies of water, waterways, or ditches, with chemical or used container.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Keep non-essential personnel a safe distance away from the spill area. Notify appropriate authorities if necessary. Avoid contact. Before attempting cleanup, refer to hazard caution information in other sections of this safety data sheet. Contain and remove with inert absorbent material.

7. HANDLING AND STORAGE

HANDLING: Keep closure tight and container upright to prevent leakage. Avoid skin and eye contact. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Empty containers should not be re-used. Use with adequate ventilation.

STORAGE: Store only in well-ventilated areas. Keep container closed when not in use.

INCOMPATIBILITY: Acids, caustics, amines, ammonia, halogens, and isocyanates.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT EXPOSURE LIMIT

Amide	PROPRIETARY	Not established
Organotin compound	10584-98-2	Australia STEL: 0.2 mg/m3 Australia TWA: 0.1 mg/m3 ACGIH-STEL: 0.2 mg/m3 ACGIH-TWA: 0.1 mg/m3
8-hydroxy quinoline	148-24-3	Not established
Carbon black	1333-86-4	Australia TWA: 3 mg/m3

Product: FUSOR® 152, 153 PLASTIC REPAIR ADH PT B, Effective Date: 03/17/2023

ENGINEERING CONTROLS: Provide adequate general ventilation where this product is used.

PERSONAL PROTECTION MEASURES/EQUIPMENT:

Respiratory protection: Respiratory protection is not required under normal working conditions where adequate ventilation is present.

Skin protection: Use neoprene, nitrile, or rubber gloves to prevent skin contact. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Eye protection: Use safety eyewear including safety glasses with side shields and chemical goggles where splashing may occur.

Other protective equipment: Remove and wash contaminated clothing before reuse.

Hygienic practices: Wash hands before eating, smoking, or using toilet facility. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Typical values, not to be used for specification purposes.

Odor: Odorless Vapor Pressure: N.D. Appearance: Black Vapor density: Heavier than Air Physical state: Lower explosion limit: N.A. Paste ≥ 201 °F, 93 °C Flash point: **Upper explosive limit:** N.A.

Setaflash Closed Cup

Boiling range: N.A. Evaporation rate: N.A.

Autoignition temperature: N.D. Density: 1.31 g/cm3

Decomposition temperature: N.D. Viscosity, dynamic: ≥225,000 mPa.s @ 25

Odor threshold: N.D. Viscosity, kinematic: $\geq 171,756 \text{ mm}2/\text{s} \ @ 25$

 Solubility in H2O:
 Insoluble
 Volatile by weight:
 0.00 %

 pH:
 N.A.
 Volatile by volume:
 0.00 %

 Freeze point:
 N.D.
 VOC Calculated:
 0 lb/gal, 0 g/l

Coefficient of water/oil distribution: N.D.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Hazardous polymerisation will not occur under normal conditions.

STABILITY: Product is stable under normal storage conditions.

CONDITIONS TO AVOID: High temperatures.

INCOMPATIBILITY: Acids, caustics, amines, ammonia, halogens, and isocyanates.

HAZARDOUS DECOMPOSITION PRODUCTS: Does not decompose when used and stored as recommended., Carbon monoxide, carbon dioxide.

11. TOXICOLOGICAL INFORMATION

EXPOSURE PATH: Refer to section 2 of this SDS.

SYMPTOMS: Refer to section 2 of this SDS.

CHRONIC EFFECTS: Refer to section 2 of this SDS.

TOXICITY MEASURES:

Acute toxicity: No classification proposed

Chemical Name	<u>LD50/LC50</u>	
Amide	Oral LD50: rat > 2,000 mg/kg	
Organotin compound	Oral LD50: Rat 510 mg/kg	
	Dermal LD50: Rat 777 mg/kg	
	Inhalation LC50: Rat 941 mg/m3 /4 h	
8-hydroxy quinoline	Oral LD50: Rat 1,200 mg/kg	
	Dermal LD50: Rat > 10,000 mg/kg	
	Inhalation LC50: Rat > 1,210 mg/m3 /6 h	
Carbon black	Oral LD50: Rat > 15,400 mg/kg	
	Oral LD50: Rat > 8,000 mg/kg	
	Dermal LD50: Rabbit > 3 g/kg	
	GHS LC50 (vapour): Acute toxicity point estimate 55 mg/l	

Skin corrosion/irritation: No classification proposed

Serious eye damage/eye irritation: No classification proposed

Skin sensitization: Category 1 - May cause an allergic skin reaction.

Components contributing to classification: Organotin compound. 8-hydroxy quinoline.

Respiratory sensitization: No classification proposed Germ cell mutagenicity: No classification proposed

Carcinogenicity: No classification proposed

Reproductive toxicity: Category 1B - May damage fertility or the unborn child.

Components contributing to classification: Organotin compound. 8-hydroxy quinoline.

Specific target organ systemic toxicity (single exposure): No classification proposed

Specific target organ systemic toxicity (repeated exposure): No classification proposed

Aspiration hazard: No classification proposed

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Chemical Name	Ecotoxicity
Amide	N.D.
Organotin compound	Fish: Brachydanio rerio 11.7 mg/l96 h Static
8-hydroxy quinoline	N.D.
Carbon black	N.D.

Product: FUSOR® 152, 153 PLASTIC REPAIR ADH PT B, Effective Date: 03/17/2023

PERSISTENCE AND DEGRADABILITY: Not determined for this product.

BIOACCUMULATIVE: Not determined for this product.

MOBILITY IN SOIL: Not determined for this product.

OTHER ADVERSE EFFECTS: Not determined for this product.

ADDITIONAL ECOLOGICAL INFORMATION: Product testing or applied bridging principals concludes that EC50 (NOEC) is >10mg/L per OECD Guidelines 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of contents/container in accordance with waste/disposal laws and regulations of your country or particular locality.

14. TRANSPORT INFORMATION

This product is NOT REGULATED for non-bulk shipments. For the most accurate shipping information, refer to your transportation/compliance department regarding changes in package size, mode of shipment or other regulatory descriptors.

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS: AS FOLLOWS -

AUSTRALIA INVENTORY OF EXISTING CHEMICAL SUBSTANCES (AICS):

All components of this product are on the AICS list.

16. OTHER INFORMATION

Revision: Section 1, Section 12

Effective Date: 03/17/2023

DISCLAIMER

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.